Stacy Adams, Procurement Manager

Email: sadams@mmo.sc.gov Phone: (803) 737-4375 Materials Management Office 1201 Main Street, Suite 600 Columbia, SC 29201 Section: A Page: 1 Date: 12/23/2014

## STATEWIDE TERM CONTRACT FOR ALL TERRAIN TRANSPORT TRAILERS & ALL TERRAIN VEHICLES (ATVs)

### **CONTRACT PERIOD 10/10/14-10/09/19**

Note: The above date reflects the maximum contract period. Prices are firm/fixed through the initial term which ends 10/09/2015. See the terms and conditions for additional information.

LINK TO SOLICITATION # 5400008223 TERMS & CONDITIONS

VENDOR: Aiken Motorcycle Sales & Service

2129 Whiskey Road Aiken, SC 29803

CONTACT PERSON: Marsha Hopkins

TELEPHONE NUMBER: 803-649-2872, Ext. 21

EMAIL: aikenmotorcycle@yahoo.com

VENDOR NUMBER: 7000035384

FEIN: 57-1060827

CONTRACT NUMBER: 4400009412

TERMS: Net 30 Days

DELIVERY: 30 Days ARO

BASE PRICE: \$ 1,199.00 for All Terrain Transport Trailer - 5' x 8'

BASE PRICE: \$ 5,749.00 for All Terrain Vehicle – Honda TRX420FM1

### **Add Options for ATVs:**

Hand Guards	\$ 99.00
Brush Guard	\$ 285.00
Winch, 2,000 lbs minimum	\$ 525.00
Front Rack Basket	\$ 135.00
Rear Rack Basket	<b>\$ 146.00</b>
CV axle guards/front	\$ 81.00

Stacy Adams, Procurement Manager

Email: sadams@mmo.sc.gov

Email: <u>sadams@mmo.sc.</u>§ Phone: (803) 737-4375 Materials Management Office 1201 Main Street, Suite 600 Columbia, SC 29201 Section: A

Date: 12/23/2014

Page: 2

# REQUIRED MINIMUM SPECIFICATIONS FOR ATVs

**Engine**: 348cc – 421cc single cylinder, four stroke

**Ignition**: Electronic

**Starter**: Electric with auxiliary recoil

Clutch: Automatic

**Drive Line**: 4WD all four wheels

**Transmission**: Five-speed and reverse gear, low first gear or variable ratio V belt

**Length**: 78.1 – 82.8 inches

Width: 42.7 - 47.4 inches

Height: 44.1 - 46.2 inches

Wheelbase: 48.5 – 50 inches

Ground Clearance: 7.2 – 9.8 inches

Max. Weight: 608 lbs.

Fuel Capacity: Minimum 3 – 4 gallons with reserve capability

Color: Green

Delivery: 30 days

### **Add Options:**

- 1. Hand Guards
- 2. Brush Guard
- 3. Winch, 2,000 lbs. minimum
- 4. Front Rack Basket
- 5. Rear Rack Basket
- 6. CV axle guards/front

Warranty: 12 month standard warranty

Delivery Point Department of Natural Resources: Styx Receiving Compound

2760 Wildlife Lane.

West Columbia, SC 29172

Materials Management Office 1201 Main Street, Suite 600 Columbia, SC 29201

Phone: (803) 737-4375

Email: sadams@mmo.sc.gov

Page: 3 Date: 12/23/2014

Section: A

Delivery Point for All Other State Agencies & Colleges: Varies by Agency PO

Delivery Point for All Counties & Political Subdivisions: Varies by Agency PO

### REQUIRED MINIMUM SPECIFICATIONS FOR TRAILERS

<u>Introduction</u>: The following are requirements for a 2,000 pound capacity trailer designed to

transport a four (4) wheel all-terrain vehicle utilized by the S.C Department of

Natural Resources.

Specifications: (Specifications must be compatible with ATV offered as Item #1).

Compatibility should include tie downs, loading & unloading, key safety &

efficiency features, etc.

Frame: Minimum 2 Inch x 2 Inch structural angle iron.

Axle: Minimum 2 Inch solid steel with easy lube axle. Rated at a minimum of 2,000

pounds.

Leaf Springs: Minimum four (4). Rated 1,000 pounds per wheel. Total capacity 1870 pounds.

Fenders: with Backs

Tongue: Shall be 3 Inch angle or 3 Inch channel, 2 safety chains with heated hook and 2

Inch coupler, tongue jack with 500 pounds capacity.

Lighting: Trailer shall be lighted to Department of Transportation requirements with a four

way flat electrical plug for auto. Offerors should be certain that the lightning &

wiring specifications of trailer tie into the ATV wiring system.

Spare Tire: Minimum 175/80 D13 (1,360 LB) with (Spare tire should be properly mounted to

the front, side, or underneath the trailer as per industry standards)

Tires: Tires to be minimum 175/80 D13 (1,360 LB)

Flooring: 2 Inch treated wood and should be attached to and reinforced on all sides to

include the proper frame reinforcement in the middle in order to prevent trailer bottom from moving up and down when manually loading ATV and walk on by

human entry.

Loading Gate: 4 foot expanded metal ramp gate

Rail: Trailers to have a fifteen (15) inch railing around front, and the total length of the

sides constructed

Email: sadams@mmo.sc.gov

Phone: (803) 737-4375

Materials Management Office 1201 Main Street, Suite 600

Columbia, SC 29201

Page: 4 Date: 12/23/2014

Section: A

Tie Downs: Four (4) tie down loops

Color: Trailer to be completely primed on all surfaces and painted Black to include

bottom on all metal surfaces.

Length: Eight (8) feet.

Width: Sixty (60) inches

Delivery Time: 30 Days ARO

Warranty: 12 month standard warranty

Delivery Point Department of Natural Resources: Styx Receiving Compound

2760 Wildlife Lane.

West Columbia, SC 29172

Delivery Point for All Other State Agencies & Colleges: Varies by Agency PO

Delivery Point for All Counties & Political Subdivisions: Varies by Agency PO

Note: Trailer manufacturers must be Department of Transportation certified.

### Service Points

All Terrain units offered to the State must have provisions for warranty and service. Service facilities must be available to Department within the State of South Carolina at such locations that would provide reasonable convenience to the user in acquiring service or warranty repairs. Bidders are required to submit servicing locations at the time of bidding.

SC Authorized Service Providers